

GymBeam s.r.o.

Rastislavova 93
04001 Kosice

Labor Dr. Scheller GmbH
 Sitz Augsburg-AG Augsburg, HRB-Nr.19221
 Zugelassen für mikrobiologische Untersuchungen
 nach § 44 IfSG
 Untersuchungsstelle nach § 40 TrinkwV
 AQS-Labor mit Zertifikat AQS 07/090/03
 Akkreditiertes Prüflabor gem. DIN EN ISO/IEC
 17025:2018
 DAkkS-Registriernummer: D-PL-19230-01-00
 Geschäftsführer:
 Dr. rer. nat. Gerhard Scheller
 Staatlich geprüfter Lebensmittelchemiker
 Öffentlich bestellter und vereidigter Sachverständiger für
 Lebensmittel, Bedarfsgegenstände und Trinkwasser
 Privater Sachverständiger für die Wasserwirtschaft
 Amtlich zugelassener Sachverständiger für die
 Untersuchung von Gegenproben
 Mag. Marcello Nicoloso

Augsburg, 11/20/25 | RN

Order no.: A25-7336

Report PB25-15341: Order 06.11.2025

The sample(s) received on 11/11/25 was/were analyzed as ordered and resulted in the following report:

The results were not assessed due to missing specifications of the assignment.

Delivered: 11/11/25 by the parcel service

Analysis period: 11/11/25 - 11/19/25

Sample number: P25-28636 Sample description: RunCollg Mag - GymBeam green apple - 400 g				
Chemical and physical parameters				
Parameter	Unit	Value	Limit	Method
Lead	mg/kg	< 0,02	3,0	§ 64 LFGB L 00.00-135: 2011-01
Cadmium	mg/kg	< 0,01	1,0	§ 64 LFGB L 00.00-135: 2011-01
Mercury	mg/kg	< 0,01	0,10	§ 64 LFGB L 00.00-135: 2011-01
Microbiological parameters				
Parameter	Unit	Value	Limit	Method
Yeasts	CFU/g	< 10	-	§ 64 LFGB L 01.00-37, mod., 1991-12, YGC-Agar, 25 °C/ 5 d
Molds	CFU/g	< 10	-	§ 64 LFGB L 01.00-37, mod., 1991-12, YGC-Agar, 25 °C/ 5 d
Coliform bacteria	CFU/g	< 10	-	§ 64 LFGB L 01.00-3: 2024-04, VRB-Agar, 30 °C/22 h
Salmonella in 25 g	neg/pos	negativ	-	§ 64 LFGB L 00.00-20: 2021-07, XLD-, XLT4-, BPLS-Agar

Summary of Sample: P25-28599 - Synefrín - GymBeam 180 tab

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28600 - Kreatin HCl - GymBeam 120 caps

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead,

Page 1 of 10

The analysis data refers exclusively to the test objects. Publication of excerpts requires written consent.

Testing laboratory accredited by DAkkS. The accreditation applies to the test procedures listed in the certificate.

USt-IdNr.: DE222765747 St.-Nr.: 103/131/00419 Bankverbindung: HypoVereinsbank IBAN: DE35 7002 0270 0045 2309 02 BIC: HYVEDEMMXXX

Telefon: +49 (0)821 45 07 33-0 Telefax: +49 (0)821 45 07 33-6 E-Mail: zentrale@labor-dr-scheller.de Internet: www.labor-dr-scheller.de

[Our General Terms and Conditions apply.](#)

cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28601 - DigeZyme 60 kaps - GymBeam 60 caps

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28602 - Železo 120 kaps - GymBeam 120 caps

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28603 - Vitamín B-Komplex 120 tab - GymBeam 120 tab

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28604 - Egg Albumin - GymBeam unflavored - 1000 g

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28605 - Egg Albumin - GymBeam vanilla - 1000 g

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28606 - Egg Albumin - GymBeam chocolate - 1000 g

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding

Page 2 of 10

The analysis data refers exclusively to the test objects. Publication of excerpts requires written consent.

Testing laboratory accredited by DAkkS. The accreditation applies to the test procedures listed in the certificate.

USt-IdNr.: DE222765747 St.-Nr.: 103/131/00419 Bankverbindung: HypoVereinsbank IBAN: DE35 7002 0270 0045 2309 02 BIC: HYVEDEMMXXX

Telefon: +49 (0)821 45 07 33-0 Telefax: +49 (0)821 45 07 33-6 E-Mail: zentrale@labor-dr-scheller.de Internet: www.labor-dr-scheller.de

[Our General Terms and Conditions apply.](#)

the tests carried out.

Probe: P25-28607 - Mikronizovaný kreatín monohydrát (100% Creapure) - GymBeam 250 g - unflavored

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28608 - Mikronizovaný kreatín monohydrát (100% Creapure) - GymBeam 250 g - orange

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28609 - Mikronizovaný kreatín monohydrát (100% Creapure) - GymBeam 250 g - lemon lime

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28610 - Chromium Picolinate - GymBeam 120 tab

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28611 - Kreatín Crea7in - GymBeam 300 g - peach ice tea

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28612 - Kreatín Crea7in - GymBeam 300 g - green apple

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28613 - Kreatín Crea7in - GymBeam 300 g - lemon lime

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28614 - Kreatin Crea7in - GymBeam 300 g - watermelon

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28615 - Vitamín B-Complex Forte - GymBeam 90 tab

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28616 - Inosine - GymBeam 120 caps

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28617 - Bromelain Papain - GymBeam 90 caps

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28618 - Omega 3-6-9 - GymBeam 120 caps

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28619 - Vitamín D3 1000 IU - GymBeam 120 caps

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28620 - Iron complex - GymBeam 120 caps

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and

Page 4 of 10

The analysis data refers exclusively to the test objects. Publication of excerpts requires written consent.

Testing laboratory accredited by DAkkS. The accreditation applies to the test procedures listed in the certificate.

USt-IdNr.: DE222765747 St.-Nr.: 103/131/00419 Bankverbindung: HypoVereinsbank IBAN: DE35 7002 0270 0045 2309 02 BIC: HYVEDEMMXXX

Telefon: +49 (0)821 45 07 33-0 Telefax: +49 (0)821 45 07 33-6 E-Mail: zentrale@labor-dr-scheller.de Internet: www.labor-dr-scheller.de

[Our General Terms and Conditions apply.](#)

Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28621 - Colostrum - GymBeam 90 caps

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28622 - Lactase Enzyme - GymBeam 90 tab

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28623 - Melatonin - GymBeam 120 tab

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28624 - Protein FueSix - GymBeam 2000 g - chocolate

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28625 - Protein Soy Isolate 1000 g - GymBeam chocolate

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28626 - Vitamin C 1000 mg - GymBeam 180 tab

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28627 - Beef Protein - GymBeam 1000 g - salted caramel

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28628 - IsoFue - GymBeam 2000 g - chocolate

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28629 - FuePerform - GymBeam 360 g - wild cherry

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28630 - Kíbová výživa Arthro Complex 120 kaps - GymBeam 120 caps

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28631 - Zinok - GymBeam 180 tab

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28632 - Vitamín D3 2000 IU - GymBeam 240 caps

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28633 - GABA - GymBeam 240 caps

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and

Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28634 - Omega 3 Forte - GymBeam 90 caps

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28635 - RunCollg Mag - GymBeam mango maracuja - 400 g

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28636 - RunCollg Mag - GymBeam green apple - 400 g

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28637 - RunCollg Mag - GymBeam lemon lime - 400 g

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28638 - CDP-Choline - GymBeam 90 caps

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28639 - Creatine Performance - GymBeam 400 g - lemon lime

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28640 - Kreatin 100% Monohydrate - GymBeam 250 g - unflavored (WEST - original)

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28641 - Kreatin 100% Monohydrate - GymBeam 250 g - mango maracuja

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28642 - Kreatin 100% Monohydrate - GymBeam 250 g - lemon lime

In this sample, no amounts of the analysed elements above the quantification limits were detected. Therefore, the sample is in accordance with the current version of regulation (EU) No 2023/915.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28643 - Kreatin 100% Monohydrate - GymBeam 250 g - green apple

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28644 - Creatine pyruvate - GymBeam 250 g

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28645 - Borage oil - GymBeam 90 caps

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28646 - Creatine Yummies - GymBeam 60 caps

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.

Probe: P25-28647 - Clear Whey IsoFue - GymBeam 500 g - mango-maracuja

Page 8 of 10

The analysis data refers exclusively to the test objects. Publication of excerpts requires written consent.

Testing laboratory accredited by DAkkS. The accreditation applies to the test procedures listed in the certificate.

USt-IdNr.: DE222765747 St.-Nr.: 103/131/00419 Bankverbindung: HypoVereinsbank IBAN: DE35 7002 0270 0045 2309 02 BIC: HYVEDEMMXXX

Telefon: +49 (0)821 45 07 33-0 Telefax: +49 (0)821 45 07 33-6 E-Mail: zentrale@labor-dr-scheller.de Internet: www.labor-dr-scheller.de

[Our General Terms and Conditions apply.](#)

For this matrix the DGHM (Deutsche Gesellschaft für Hygiene und Mikrobiologie / German Society for Hygiene and Microbiology) defined no guidance or warning values. Results of microbiological analysis are unobjectionable regarding the tests carried out.



Dr. Ruth Niemetz, stv. Laborleitung

Allgemeine Geschäftsbedingungen der Labor Dr. Scheller GmbH (Stand 07.2021)

§ 1 Geltungsbereich, Form

- (1) Die nachstehenden Allgemeinen Geschäftsbedingungen („AGB“) gelten im geschäftlichen Verkehr mit Unternehmern, Verbrauchern, juristischen Personen des öffentlichen Rechts oder öffentlich-rechtlichen Sondervermögen i.S.d. § 310 Abs. 1 Bürgerliches Gesetzbuch (BGB). Sie gelten für alle künftigen Geschäftsbeziehungen, auch wenn sie nicht nochmals ausdrücklich vereinbart werden.
- (2) Ergänzende, entgegenstehende oder von diesen AGB abweichende Bedingungen des Kunden werden auch ohne ausdrückliche Zurückweisung in keinem Fall Vertragsbestandteil, es sei denn, die Labor Dr. Scheller GmbH stimmt deren Geltung ausdrücklich zu. Die AGB der Labor Dr. Scheller GmbH gelten auch dann, wenn die Labor Dr. Scheller GmbH in Kenntnis entgegenstehender oder von diesen AGB abweichender Bedingungen des Kunden die Leistungserbringung vorbehaltlos ausführt.
- (3) Alle Vereinbarungen, die zur Ausführung des Vertrages getroffen werden, auch Änderungen und Ergänzungen, sind in Textform niederzulegen. Soweit Vereinbarungen der Parteien Bestimmungen enthalten, die von diesen Geschäftsbedingungen abweichen, gehen diese individuell vereinbarten Vertragsbestimmungen vor.

§ 2 Vertragsschluss und Preise

- (1) Die Angebote der Labor Dr. Scheller GmbH sind freibleibend und unverbindlich.
- (2) Mit der Auftragserteilung in Textform und/oder der Übergabe/Zusendung der Proben erklärt der Kunde verbindlich, die von ihm bezeichnete Leistung in Anspruch nehmen zu wollen. Die Labor Dr. Scheller GmbH ist berechtigt, aber nicht verpflichtet, das hierin liegende Vertragsangebot des Kunden innerhalb von 6 Werktagen nach Zugang in Textform oder durch Erbringung der Leistung anzunehmen.
- (3) Den Leistungen der Labor Dr. Scheller GmbH liegen die am Tage des Eingangs des Vertragsangebotes des Kunden gültigen Nettopreise gemäß der jeweils aktuellen Preisliste zugrunde. Die Labor Dr. Scheller GmbH kann Transport- und Verpackungskosten gesondert berechnen.

§ 3 Pflichten der Labor Dr. Scheller GmbH

- (1) Die Labor Dr. Scheller GmbH schuldet ausschließlich die vertraglich mit dem Kunden vereinbarten Leistungen. Die Labor Dr. Scheller GmbH ist nicht verpflichtet, auf Erkenntnisse hinzuweisen oder über diese zu berichten, die außerhalb des beauftragten Auftragsumfanges liegen.
- (2) Die Prüfungsberichte der Labor Dr. Scheller GmbH geben alleine die zum Zeitpunkt der Prüfung festgestellten Tatsachen in Bezug auf den Auftragsumfang und die analysierten Proben wieder. Die Labor Dr. Scheller GmbH ist nicht verpflichtet zu prüfen, ob die Proben repräsentativ für die Gesamtmenge sind, der sie entnommen wurden.
- (3) Entscheidungsregel der Labor Dr. Scheller GmbH: die erweiterte Messunsicherheit in der Konformitätsbewertung wird nur dann berücksichtigt, wenn das analysierte Ergebnis einen gegebenen Grenz- oder Spezifikationswert überschreitet. Unterschreitet ein gemessener Wert den gegebenen Grenz- oder Spezifikationswert, findet die Messunsicherheit in der Konformitätsbewertung keine Berücksichtigung. Auf Kundenwunsch kann von dieser Regel abgewichen werden.
- (4) Die Labor Dr. Scheller GmbH führt die bei ihr beauftragten Dienstleistungen stets unter strikter Einhaltung der Unparteilichkeit und Objektivität durch. Alle internen Mitarbeiter und externen unterstützenden Dienstleister der Labor Dr. Scheller GmbH sind vertraglich auf die Einhaltung dieser Grundsätze verpflichtet. Aufträge, welche die Unparteilichkeit und Objektivität gefährden, werden abgelehnt.
- (5) Eine Bearbeitung von Proben durch andere akkreditierte Prüflabore bzw. entsprechend qualifizierte Unterauftragnehmer erfolgt nur nach vorheriger Zustimmung des Kunden. In diesem Fall darf die Labor Dr. Scheller GmbH für die Erfüllung der übertragenen Dienstleistungen erforderlichen Informationen dem Unterauftragnehmer offenlegen.
- (6) Es besteht keine Pflicht der Labor Dr. Scheller GmbH zur Aufbewahrung der Proben nach Abschluss der beauftragten Leistungen.

§ 4 Bearbeitungszeiten

- (1) Die Labor Dr. Scheller GmbH erbringt ihre Leistungen innerhalb marktüblicher Fristen, wobei die aktuelle Laborauslastung und der Auftragsumfang zu berücksichtigen sind.
- (2) Fristen und Termine für die Auftragsausführung werden erst nach Bestätigung der Labor Dr. Scheller GmbH verbindlich. Deren Einhaltung setzt voraus, dass der Kunde seinen eigenen Mitwirkungspflichten rechtzeitig nachkommt.

§ 5 Pflichten des Kunden

- (1) Der Kunde hat die Proben rechtzeitig und in einem ordnungsgemäßen, mit der Labor Dr. Scheller GmbH abgestimmten Zustand der Labor Dr. Scheller GmbH an deren Sitz zu überlassen. Art und Umfang der Proben ist dabei ebenfalls mit der Labor Dr. Scheller GmbH abzustimmen.
- (2) Sofern der Kunde eine Rücksendung der Proben wünscht, hat er diese gemeinsam mit der Auftragserteilung gesondert zu beauftragen. Der Kunde trägt dabei die Versandkosten, Kosten einer Transportversicherung, etwaige Zölle, Steuern und sonstige Gebühren.
- (3) In den Fällen, in denen eine Entnahme der Proben durch das analysierende Labor gesetzlich vorgeschrieben ist, erfolgt die Entnahme der Proben durch die Labor Dr. Scheller GmbH in Abstimmung mit dem Kunden auf dessen Kosten. Für derartige Probenahmen kann die Labor Dr. Scheller GmbH eigene Labormitarbeiter oder externe Probennehmer, unter Beachtung der gesetzlichen Vorgaben, einsetzen. Der Kunde hat den erforderlichen ungehinderten Zutritt zu dem Ort der Probenahme zu gewähren.
- (4) Der Kunde sichert zu, dass die Proben weder die Gesundheit der Mitarbeiter der Labor Dr. Scheller GmbH noch deren Eigentum gefährden.

§ 6 Zahlungsbedingungen

- (1) Sofern nicht ausdrücklich abweichend vereinbart, sind Rechnungen 10 Tage nach Erhalt der Rechnung ohne jeden Abzug und spesenfrei durch Überweisung, Abbuchung oder in bar zur Zahlung fällig. Bei Überweisung richtet sich die Rechtzeitigkeit der Zahlung nach der Wertstellung für die Labor Dr. Scheller GmbH.
- (2) Im Falle des Verzugs ist die Labor Dr. Scheller GmbH – unbeschadet sonstiger gesetzlicher Ansprüche – berechtigt, Verzugszinsen in der gesetzlich vorgesehenen Höhe zu fordern. Soweit die Labor Dr. Scheller GmbH einen höheren Verzugschaden nachweisen kann, ist die Labor Dr. Scheller GmbH berechtigt, diesen geltend zu machen.

§ 7 Gewährleistung

Falls die von der Labor Dr. Scheller GmbH zu erbringenden Leistungen mit Mängeln behaftet sind, haftet die Labor Dr. Scheller GmbH für Sach- und Körpermängel nach den Regelungen des BGB für den Werkvertrag, der Kunde hat aber zuerst die Rechte auf Nacherfüllung geltend zu machen. Schlägt die Nacherfüllung fehl, stehen dem Kunden die weiteren Mängelrechte (Selbstvornahme, Rücktritt, Minderung, Schadensersatz) unter den gesetzlichen Vorgaben zu.

§ 8 Haftungsbegrenzung

Für Schäden haftet die Labor Dr. Scheller GmbH – aus welchen Rechtsgründen auch immer – nur bei Vorsatz und grober Fahrlässigkeit ihrer Organe oder leitender Angestellter, schuldhafter Verletzung von Leben, Körper und Gesundheit, Mängeln, die arglistig verschwiegen wurden oder für Mängel, für die nach dem Produkthaftungsgesetz für Personen- oder Sachschäden zwingend gehaftet wird. Bei schuldhafter Verletzung wesentlicher Vertragspflichten haftet die Labor Dr. Scheller GmbH auch bei Vorsatz und grober Fahrlässigkeit nicht leitender Angestellter und bei leichter Fahrlässigkeit, in letzterem Fall begrenzt auf den vertragstypischen, vernünftigerweise vorhersehbaren Schaden; eine wesentliche Vertragspflicht in diesem Sinne meint jede Vertragspflicht, deren Erfüllung die ordnungsgemäße Durchführung des Vertrages erst ermöglicht und auf deren Erfüllung der Kunde vertrauen darf.

§ 9 Höhere Gewalt

Sollte die Labor Dr. Scheller GmbH ganz oder teilweise aus schwerwiegenden Gründen, die unvorhersehbar sind und außerhalb der Kontrolle der Labor Dr. Scheller GmbH liegen („höhere Gewalt“), wie z.B. Naturkatastrophen, Krieg, terroristische Aktivitäten, Arbeitskämpfe oder Pandemien, daran gehindert werden, ihre Verpflichtungen nach dem Vertrag zu erfüllen, so wird die Labor Dr. Scheller GmbH von ihrer Leistungspflicht befreit und trägt keine Verantwortung für die teilweise oder vollständige Nichterbringung der vertraglichen Verpflichtungen. In diesem Fall zahlt der Kunde der Labor Dr. Scheller GmbH die ihr entstandenen aufgrund des Abbrechens der Vertragsdurchführung fehlgeschlagenen Aufwendungen und einen Teilbetrag des vereinbarten Entgelts, der dem durch die Labor Dr. Scheller GmbH tatsächlich geleisteten Teil der Dienstleistungen entspricht. Ist die Labor Dr. Scheller GmbH aufgrund höherer Gewalt länger als 3 Monate daran gehindert ihre Verpflichtungen nach dem Vertrag zu erfüllen, ist jede Partei berechtigt den Vertrag mit sofortiger Wirkung zu kündigen.

§ 10 Datenschutz und Geheimhaltung

- (1) Die Labor Dr. Scheller GmbH ist berechtigt, im Rahmen der einzuhaltenden datenschutzrechtlichen Bestimmungen persönliche oder geschäftliche Daten, die sie vom Kunden auf irgendeinem Weg erhalten hat, zu speichern und zu verarbeiten, unabhängig davon, ob solche Daten direkt vom Kunden stammen oder von einem Dritten. Die Labor Dr. Scheller GmbH ist verpflichtet, kaufmännisch angemessene Maßnahmen zu ergreifen, solche Daten in Übereinstimmung mit dem Gesetz vertraulich zu behandeln. Zum Zwecke der Auftragsdurchführung werden personenbezogene Daten, etwa von Organen und Ansprechpartnern, verarbeitet und genutzt.
- (2) Die Vertragsparteien sind verpflichtet, alle im Rahmen des Vertragsverhältnisses erlangten vertraulichen Informationen und Arbeitsergebnisse geheim zu halten, insbesondere nicht an Dritte weiterzugeben oder anders als zu vertraglichen Zwecken zu verwerten. Dies gilt nicht, soweit die Labor Dr. Scheller GmbH aufgrund gesetzlicher oder behördlicher Vorgaben hierzu verpflichtet ist oder soweit sie zur Durchsetzung insbesondere ihrer Zahlungsansprüche dazu verpflichtet ist, einen Leistungsnachweis zu erbringen. Vertrauliche Informationen im vorstehenden Sinne sind Informationen, die ein verständiger Dritter als schützenswert ansehen würde, beispielsweise sämtliche Geschäfts- und Betriebsgeheimnisse, Proben, Prüfberichte, technische Dokumentationen, erklärende Abbildungen oder Informationen, die als vertraulich gekennzeichnet sind. Die Verpflichtung zur Geheimhaltung gilt nicht für Informationen, die den Vertragsparteien bereits rechtmäßig bekannt sind oder außerhalb des Vertrages ohne Verstoß gegen eine Geheimhaltungsverpflichtung bekannt werden. Der Empfänger darf vertrauliche Informationen einem Dritten, wie z.B. externen Dienstleistern oder Beratern, ausnahmsweise zur Verfügung stellen, wenn dies zum Zwecke der Auftragsdurchführung erforderlich ist, vorausgesetzt dass der Dritte zur Geheimhaltung verpflichtet ist oder wird.

§ 11 Rechtswahl, Gerichtsstand, Schlussbestimmungen

- (1) Diese AGB unterliegen dem Recht der Bundesrepublik Deutschland.
- (2) Ist der Kunde Kaufmann, eine juristische Person des öffentlichen Rechts oder ein öffentlich-rechtliches Sondervermögen, liegt der ausschließliche Gerichtsstand für alle sich aus dem Vertragsverhältnis unmittelbar oder mittelbar ergebenden Streitigkeiten in Augsburg.
- (3) Sollte eine Bestimmung dieser AGB unwirksam sein oder werden, so wird die Wirksamkeit der übrigen Bestimmungen dadurch nicht berührt. Die Vertragsparteien bemühen sich in diesem Fall, eine dem wirtschaftlichen Ziel der ursprünglichen, aber unwirksamen Regelung am nächsten kommende Vereinbarung zu erzielen.